

# SAFETY DATA SHEET

## 1. Identification of the substance or mixture and of the supplier

- A. GHS product identifier Mirinae® A-7001K Splendor Gold
- B. Recommended use of the chemical and restrictions on use  
Recommended use Cosmetic  
Restrictions on use Not available
- C. Manufacturers  
Company name CQV Co., Ltd.  
Address 144, Seongjung-Ro, Jincheon-Eup, Jincheon-Gun, Chungbuk-Do, Korea  
Emergency phone number 82-43-531-2500  
Respondent Byung-Ki Choi  
Fax 82-43-536-0314

## 2. Hazards identification

- A. GHS classification of the substance/mixture  
Not classified
- B. GHS label elements, including precautionary statements  
Pictogram and symbol : Not applicable  
Signal word : Not applicable  
Hazard statements : Not applicable  
Precautionary statements  
Precaution : Not applicable  
Treatment : Not applicable  
Storage : Not applicable  
Disposal : Not applicable
- C. Other hazard information not included in hazard classification (NFPA)  
Health 0  
Flammability Not available  
Reactivity Not available

## 3. Composition/information on ingredients

Chemical Name (INCI Name)	CAS number	EC number	Content (%)
Alumina	1344-28-1	215-691-6	53 - 65
Tin Oxide (CI 77861)	18282-10-5	242-159-0	1 - 3
Titanium Dioxide (CI 77891)	13463-67-7	236-675-5	34 - 44

## 4. First aid measures

- A. Eye contact  
- Call emergency medical service.  
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
- B. Skin contact  
- Call emergency medical service.

- Remove and isolate contaminated clothing and shoes.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
- For minor skin contact, avoid spreading material on unaffected skin.

#### **C. Inhalation**

- If exposed or concerned: Get medical advice/ attention.
- Move victim to fresh air.
- Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
- Keep victim warm and quiet.

#### **D. Ingestion**

- If exposed or concerned: Get medical advice/ attention.
- Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

#### **E. Indication of immediate medical attention and notes for physician**

- Exposures require specialized first aid with contact and medical follow-up .
- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

## **5. Fire fighting measures**

#### **A. Suitable (and unsuitable) extinguishing media**

- Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
- Use dry sand or earth to smother fire.

#### **B. Specific hazards arising from the chemical**

- Non-combustible, substance itself does not burn.

#### **C. Special protective equipment and precautions for fire-fighters**

- Rescuers should put on appropriate protective gear.
- Evacuate area and fight fire from a safe distance.
- Substance may be transported in a molten form.
- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks; Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
- Fire involving Tanks; Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks; Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks; Always stay away from tanks engulfed in fire.
- Fire involving Tanks; For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

## **6. Accidental release measures**

#### **A. Personal precautions, protective equipment and emergency procedures**

- Clean up spills immediately, observing precautions in Protective Equipment section.
- Eliminate all ignition sources.
- Stop leak if you can do it without risk.

- Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Cover with plastic sheet to prevent spreading.
- Please note that there are materials and conditions to avoid.

#### **B. Environmental precautions and protective procedures**

- Prevent entry into waterways, sewers, basements or confined areas.

#### **C. The methods of purification and removal**

- Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container.
- Absorb the liquid and scrub the area with detergent and water.

## **7. Handling and storage**

#### **A. Precautions for safe handling**

- Do not handle until all safety precautions have been read and understood.
- Follow all MSDS/label precautions even after container is emptied because they may retain product residues.
- Use carefully in handling/storage.
- Loosen closure cautiously before opening.
- Avoid breathing vapors from heated material.
- Do not enter storage area unless adequately ventilated.
- Please note that there are materials and conditions to avoid.

#### **B. Conditions for safe storage**

- Store locked up.
- Empty drums should be completely drained, properly bunged, and promptly returned to a drum reconditioner, or properly disposed of.

## **8. Exposure controls/personal protection**

#### **A. Occupational Exposure limits**

##### **Korea regulation**

**Alumina** TWA = 10 mg/m<sup>3</sup>

**Titanium Dioxide** TWA = 10 mg/m<sup>3</sup>

##### **ACGIH regulation**

**Alumina** TWA 10 mg/m<sup>3</sup> (as Al, Total particulate containing no asbestos and < 1% crystalline silica)

**Titanium Dioxide** TWA 10 mg/m<sup>3</sup>

**Biological exposure index** : Not available

##### **OSHA regulation**

**Alumina** TWA = 15 mg/m<sup>3</sup> (total), TWA = 5 mg/m<sup>3</sup> (respirable fraction)

**Titanium Dioxide** TWA = 15 mg/m<sup>3</sup>

##### **NIOSH regulation**

**Alumina** TWA = 10 mg/m<sup>3</sup>

**Tin Oxide** TWA = 2 mg/m<sup>3</sup> (as Sn)

**EU regulation** : Not available

##### **Other**

**Alumina** Austria: TWA = 5 mg/m<sup>3</sup>, STEL = 10 mg/m<sup>3</sup> Belgium: TWA = 5 mg/m<sup>3</sup> (as Al)

Denmark: TWA = 5 mg/m<sup>3</sup> (total, as Al), 2 mg/m<sup>3</sup> (respirable, as Al) Estonia: TWA =

10 mg/m<sup>3</sup> (total dust), 4 mg/m<sup>3</sup> (respirable dust) France: TWA = 10 mg/m<sup>3</sup> Hungary:

TWA = 6 mg/m<sup>3</sup> [AK] (respirable dust) Latvia: TWA = 6 mg/m<sup>3</sup> Spain: TWA = 10

mg/m<sup>3</sup> Australia: TWA = 10 mg/m<sup>3</sup> Canada: TWA = 10 mg/m<sup>3</sup> China: TWA = 4 mg/m<sup>3</sup> (total dust), STEL = 8 mg/m<sup>3</sup> (total dust) Russia: TWA = 6 mg/m<sup>3</sup> (aerosol)

**Tin Oxide** Belgium: TWA = 2 mg/m<sup>3</sup> (as Sn) Canada: TWA = 2 mg/m<sup>3</sup> (as Sn) Finland: TWA = 2 mg/m<sup>3</sup> (as Sn) Spain: TWA = 2 mg/m<sup>3</sup> (as Sn)

**Titanium Dioxide** Austria: TWA = 10 mg/m<sup>3</sup> France: TWA = 10 mg/m<sup>3</sup> (as Ti) Italy: TWA = 10 mg/m<sup>3</sup> United Kingdom: TWA = 10 mg/m<sup>3</sup> Russia: TWA = 10 mg/m<sup>3</sup>

#### B. Appropriate engineering controls

- Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

#### C. Personal protective equipment

##### Respiratory protection

- Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles) respiratory protective equipment when necessary.
- In case exposed to particulate material, the respiratory protective equipments as follow are recommended. ;facepiece filtering respirator or air-purifying respirator, high-efficiency particulate air(HEPA) filter media or respirator equipped with powered fan, filter media of use(dust, mist, fume)
- In lack of oxygen(< 19.5%), wear the supplied-air respirator or self-contained breathing apparatus.oxygen

##### Eye protection

- Wear breathable safety goggles to protect from particulate material causing eye irritation or other disorder.
- An eye wash unit and safety shower station should be available nearby work place.

##### Hand protection

- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.

##### Body protection

- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.

## 9. Physical and chemical properties

#### A. Appearance

Description Powder

Color Brilliant Silver White

B. Odor No odor

C. Odor threshold Not available

D. pH 5 – 10

E. Melting point/freezing point Not available

F. Initial boiling point and boiling range Not available

G. Flash point Not available

H. Evaporation rate Not available

I. Flammability (solid, gas) Not applicable

J. Upper/lower flammability or explosive limits Not available

K. Vapor pressure Not available

L. Solubility (ies) Not available

M. Vapor density Not available

N. Specific gravity 3.7 – 4.1 g/cm<sup>3</sup>

O. Partition coefficient: n-octanol/water Not available

P. Auto ignition temperature Not available

Q. Decomposition temperature Not available

- R. Viscosity Not available  
S. Molecular weight Not available

## 10. Stability and reactivity

### A. Chemical stability and Possibility of hazardous reactions:

- Non-combustible, substance itself does not burn.

### B. Conditions to avoid:

- Heat, sparks or flames

### C. Incompatible materials:

- Combustibles, reducing agents

### D. Hazardous decomposition products:

- Not available

## 11. Toxicological information

### A. Information of Health Hazardous

#### Acute toxicity

**Oral** : Not classified

- **Alumina** : Rat LD<sub>50</sub> > 2,000 mg/kg (OECD Guideline 420)
- **Tin Oxide** : Rat LD<sub>50</sub> > 9,000 mg/kg
- **Titanium dioxide** : Rat LD<sub>50</sub> > 5,000 mg/kg (OECD Guideline 425, EPA OPPTS 870.1100)

**Dermal** : Not available

**Inhalation** : Not classified

- **Alumina** : Rat LC<sub>50</sub> > 2.3 mg/L/4hr
- **Tin Oxide** : Rat LC<sub>50</sub> > 5 mg/L/4hr (OECD TG 403, GLP)
- **Titanium dioxide** : Rat LC<sub>50</sub> > 6.82 mg/L/4hr

**Skin corrosion/ irritation** : Not classified

- **Alumina** : In the skin irritation test using rabbit, skin irritation was not observed. (OECD Guideline 404)
- **Tin Oxide** : Skin irritation test using rabbit, not skin irritation. (OECD TG 404)
- **Titanium dioxide** : In test on skin irritation with rabbits, skin irritations were not observed. (OECD Guideline 404)

**Serious eye damage/ irritation** : Not classified

- **Alumina** : The slight erythema was reversible, resolving by 48 hours post administration of the test substance. The scores observed for conjunctival erythema would not lead to a classification under EU-CLP (Regulation (EC) 1272/2008)(OECD Guideline 405).
- **Tin Oxide** : The test substance was not irritating to the rabbit eyes. (OECD TG 405)
- **Titanium dioxide** : In test on eye irritation with rabbits, eye irritations were not observed. (OECD Guideline 405, EU Method B.5, EPA OPPTS 870.2400)

**Respiratory sensitization** : Not classified

- **Titanium dioxide** : Titanium oxide does not show respiratory sensitizing properties in animal studies or in exposure related observations in humans.

**Skin sensitization** : Not classified

- **Alumina** : In the skin sensitisation test using guinea pig, skin sensitisation was not observed.
- **Tin Oxide** : No activation of the lymph nodes of mice were observed in the LLNA performed with the test material. (OECD TG 429)

– **Titanium dioxide** : In test on skin sensitization with guinea pig, skin sensitizations were not observed. (OECD Guideline 406, EU Method B.6, EPA OPP 81–6, GLP)

**Carcinogenicity** : Not classified

**Mutagenicity** : Not classified

– **Alumina** : In the mammalian erythrocyte micronucleus test, the results were positive for the nano-sized materials (below 40nm) with evidence of a positive dose-response relationship for MN (OECD Guideline 75). Positive reactions were observed in Mammalian Erythrocyte Micronucleus Test (OECD Guideline 474, GLP).

– **Tin Oxide** : Negative reactions were observed in these in vitro genotoxicity studies (bacterial reverse mutation assay (e.g. Ames test) (gene mutation) (OECD Guideline 471), mammalian cell gene mutation assay (OECD Guideline 476), mammalian cell micronucleus test (OECD Guideline 487)).

– **Titanium dioxide** : Negative reactions were observed in in vitro (mammalian cell gene mutation test (OECD Guideline 476, GLP), mammalian chromosome aberration test (OECD Guideline 473, GLP), bacterial reverse mutation assay (OECD Guideline 471)) and in in vivo (micronucleus assay).

**Reproductive toxicity** : Not classified

– **Titanium dioxide** : Based on the weight of evidence from the available long-term toxicity/carcinogenicity studies in rodents and the relevant information on the toxicokinetic behaviour in rats it is concluded that TiO<sub>2</sub> does not present a reproductive toxicity hazard.

**Specific target organ toxicity (single exposure)** : Not available

**Specific target organ toxicity (repeat exposure)** : Not classified

– **Alumina** : In the inhalation toxicity test (90 day) with rats, NOAEC = 70 mg/m<sup>3</sup>.

– **Tin Oxide** : No toxicity related symptoms were observed in the 13-week repeat oral administration toxicity test using rats. (NOAEL ≥ 10000 mg / kg)

– **Titanium dioxide** : Titanium dioxide did not show any adverse effects whatsoever in a chronic oral repeated dose toxicity study in rats, with a NOAEL of 3500 mg/kg bw/day. Titanium dioxide is not absorbed to any relevant extent through human skin, thus no toxic effects can be expected via the dermal route of exposure. Titanium dioxide showed fibrogenic effects in a chronic inhalation repeated dose toxicity study in rats with a NOAEC of 10 mg/m<sup>3</sup>.

**Aspiration Hazard** : Not available

## 12. Ecological information

### A. Ecological toxicity

– Acute toxicity : Not classified

– Chronic toxicity : Not classified

#### Fish

– **Alumina** : 96hr-NOEC (Salmo trutta) > 0.072 mg/L (OECD Guideline 203)

– **Titanium dioxide** : 96hr-NOEC (Oncorhynchus mykiss) > 100 mg/L (OECD Guideline 203)

#### crustacean

– **Alumina** : 48hr-NOEC (Daphnia magna) > 0.071 mg/L

#### Algae

– **Alumina** : 72hr-NOEC (Pseudokirchneriella subcapitata) >= 0.052 mg/L

– **Titanium dioxide** : 72hr-EC<sub>50</sub> (other) = 61 mg/L, 72hr-NOEC (Pseudokirchnerella subcapitata) = 12.7 mg/L

### B. Persistence and degradability

#### Persistence

- **Alumina** : Low persistency (log Kow is less than 4 estimated.) (Log Kow = -0.83) (estimated)
  - **Tin Oxide** : Low persistency (log Kow is less than 4 estimated.) (Log Kow = 1.29) (estimated)
  - **Titanium dioxide** : Low persistency (log Kow is less than 4 estimated.) (Log Kow = 2.23) (estimated)
- Degradability** : Not available

**C. Bioaccumulative potential**

**Bioaccumulation**

- **Alumina** : Bioaccumulation is expected to be low according to the BCF < 500 (BCF = 3.162) (estimated)
- **Tin Oxide** : Bioaccumulation is expected to be low according to the BCF < 500 (BCF = 100) (estimated)
- **Titanium dioxide** : Bioaccumulation is expected to be low according to the BCF < 500 (BCF = 13.73) (estimated)

**Biodegradation**

- **Alumina** : Not readily biodegradable(estimated)
- **Tin Oxide** : not readily biodegradable (estimated)
- **Titanium dioxide** : not readily biodegradable (estimated)

**D. Mobility in soil**

- **Alumina** : Low potency of mobility to soil. (Koc = 0.1902) (estimated)
- **Tin Oxide** : Low potency of mobility to soil. (Koc = 13.16) (estimated)
- **Titanium dioxide** : Low potency of mobility to soil. (Koc = 86.1) (estimated)

**E. Other hazardous effect** : Not available

**F. HAZARDOUS TO THE OZONE LAYER** : Not classified

## 13. Disposal considerations

**A. Disposal method**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

**B. Disposal precaution**

Consider the required attentions in accordance with waste treatment management regulation.

## 14. Transport information

**A. UN Number** Not applicable

**B. UN Proper shipping name** Not applicable

**C. Transport Hazard class** Not applicable

**D. Packing group** Not applicable

**E. Marine pollutant** Not applicable

**F. IMDG/IATA/ICAO** Not applicable

**G. Special precautions**

in case of fire Not applicable

in case of leakage Not applicable

## 15. Regulatory information

**A. Occupational Safety and Health Regulation**

- Alumina : Administration subject listed
- Alumina : Occupational exposure limits listed
- Alumina : Work environment monitoring listed (6 months)
- Alumina : Health examination agent (12 months)
- Tin Oxide : Work environment monitoring listed (6 months)
- Tin Oxide : Administration subject listed
- Titanium Dioxide : Administration subject listed
- Titanium Dioxide : Occupational exposure limits listed
- Titanium Dioxide : Work environment monitoring listed (6 months)

**B. Chemical Control Act**

- Alumina : Existing Chemical Substance KE-01012
- Tin oxide : Existing Chemical Substance (KE-33849)
- Titanium dioxide : Existing Chemical Substance KE-33900

**C. Dangerous Material Safety Management Regulation**

- Alumina : Dangerous Material Safety Management Regulation
- Tin oxide : Dangerous Material Safety Management Regulation
- Titanium dioxide : Dangerous Material Safety Management Regulation

**D. Wastes Control Act : Not regulated**

**E. Other regulation (internal and external)**

Internal information

- Persistent Organic Pollutants Acts : Not regulated

**② Foreign Regulatory Information**

External information

**EU classification(classification)**

- Alumina : Not classified
- Tin oxide : Not classified
- Titanium dioxide : Not classified

**EU classification(risk phrases)**

- Alumina : Not applicable
- Tin oxide : Not applicable
- Titanium dioxide : Not applicable

**EU classification(safety phrases)**

- Alumina : Not applicable
- Tin oxide : Not applicable
- Titanium dioxide : Not applicable

EU SVHC list Not regulated

EU Authorisation List Not regulated

EU Restriction list Not regulated

U.S.A management information (OSHA Regulation) Not regulated

U.S.A management information (CERCLA Regulation) Not regulated

U.S.A management information (EPCRA 302 Regulation) Not regulated

U.S.A management information (EPCRA 304 Regulation) Not regulated

U.S.A management information (EPCRA 313 Regulation) Not regulated

Substance of Roterdame Protocol Not regulated

Substance of Stockholme Protocol Not regulated

Substance of Montreal Protocol Not regulated

**Foreign Inventory Status**

**Alumina**

U.S.A management information Section 8(b) Inventory (TSCA): Present

Japan management information Existing and New Chemical Substances (ENCS):

(1)-23



China management information Inventory of Existing Chemical Substances (IECSC): Present 37546

Canada management information Domestic Substances List (DSL): Present

Australia management information Inventory of Chemical Substances (AICS): Present

New Zealand management information Inventory of Chemicals (NZIoC): May be used as a single component chemical under an appropriate group standard

Philippines management information Inventory of Chemicals and Chemical Substances (PICCS): Present

Japan management information ISHL Harmful Substances Whose Names Are to be Indicated on the Label:  $\geq 1$  % weight

Japan management information ISHL Notifiable Substances:  $\geq 1$  % weight

#### **Tin oxide**

U.S.A management information Section 8(b) Inventory (TSCA): Present

Japan management information Existing and New Chemical Substances (ENCS): (1)–551

Japan management information ISHL Harmful Substances Whose Names Are to be Indicated on the Label:  $\geq 1$  % weight

Japan management information ISHL Notifiable Substances:  $\geq 0.1$  % weight

China management information Inventory of Existing Chemical Substances (IECSC): Present 37645

Canada management information Domestic Substances List (DSL): Present

Australia management information Inventory of Chemical Substances (AICS): Present

New Zealand management information Inventory of Chemicals (NZIoC): HSNO Approval: HSR002805

Philippines management information Inventory of Chemicals and Chemical Substances (PICCS): Present

#### **Titanium dioxide**

U.S.A management information Section 8(b) Inventory (TSCA): Present

Japan management information Existing and New Chemical Substances (ENCS): (5)–5225, (1)–558

Japan management information ISHL Harmful Substances Whose Names Are to be Indicated on the Label:  $\geq 1$  % weight

Japan management information ISHL Notifiable Substances:  $\geq 0.1$  % weight

China management information Inventory of Existing Chemical Substances (IECSC): Present 11377

Canada management information Domestic Substances List (DSL): Present

Australia management information Inventory of Chemical Substances (AICS): Present

New Zealand management information Inventory of Chemicals (NZIoC): May be used as a single component chemical under an appropriate group standard.

Philippines management information Inventory of Chemicals and Chemical Substances (PICCS): Present

## **16. Other information**

### **A. Information source and references**

Emergency Response Guidebook 2008;

[http://phmsa.dot.gov/staticfiles/PHMSA/DownloadableFiles/Files/erg2008\\_eng.pdf](http://phmsa.dot.gov/staticfiles/PHMSA/DownloadableFiles/Files/erg2008_eng.pdf)

U.S. National library of Medicine(NLM) ChemIDplus; <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM>

Korea Occupational Health & Safety Agency; <http://www.kosha.net>

EPISUITE v4.11; <http://www.epa.gov/opt/exposure/pubs/episuitedl.html>

Ministry of Public Safety and Security–Korea dangerous material inventory management system; <http://hazmat.mpss.kfi.or.kr/index.do>

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans;  
<http://monographs.iarc.fr>

TOMES–LOLI®; <http://www.rightanswerknowledge.com/loginRA.asp>

National Chemicals Information System; <http://ncis.nier.go.kr/ncis/>

Waste Control Act enforcement regulation attached [1]

REACH information on registered substances; <https://echa.europa.eu/information-on-chemicals/registered-substances>

American Conference of Governmental Industrial Hygienists TLVs and BEIs.

NIOSH Pocket Guide; <http://www.cdc.gov/niosh/npg/npgdcas.html>

National Toxicology Program; <http://ntp.niehs.nih.gov/results/dbsearch/>

International Uniform Chemical Information Database(IUCLID)

Korea Maritime Dangerous Goods Inspection Center; <http://www.komdi.or.kr/index.html>

EU CLP; <https://echa.europa.eu/information-on-chemicals/cl-inventory-database>

**B. Issuing date** 10–04–2015

**C. Revision number and date**

**revision number** 4

**date of the latest revision** 01–04–2024

**D. Others**

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.
- It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.
- The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties.